

RECEIVED  
CENTRAL FAX CENTER  
FEB 01 2010

U.S. Patent Application Serial No.: 10/523,975  
Response to Final Office Action mailed November 3, 2009

**IN THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (Currently Amended): A method of automatically marking an article which is transferred in one direction, comprising the steps of:

storing in advance a pattern for coloring an outer surface of the article with a plurality of coloring agents of respective colors different from each other;

detecting a transfer speed of the article;

supplying the coloring agents;

supplying pressurized gas into a coloring agent supply source; and

spouting a plurality of the coloring agents of respective specific amount, as a drop, to form spots on the outer surface of the article, from a plurality of separate and spaced nozzles, for each respective color, arranged in a longitudinal direction of the article being transferred, each nozzle having [[the]] a separate coloring agent supply source connected therewith and a valve between the nozzle and the coloring agent supply source, toward the outer surface of the article according to the pattern in response to the detected transfer speed,

wherein the coloring agents, as a drop, are spouted toward the outer surface of the article with the aid of bias of the supplied pressurized gas.

U.S. Patent Application Serial No.: 10/523,975  
Response to Final Office Action mailed November 3, 2009

Claim 2 (Original): The method of automatically marking an article according to claim 1, wherein the article is an electric wire.

Claim 3 (Currently Amended): A device for automatically marking an article which is transferred in one direction, comprising:

storing means for storing a pattern for coloring an outer surface of the article with a plurality of coloring agents of respective colors different from each other;

detecting means for detecting a transfer speed of the article;

a plurality of separate and spaced nozzles, for each respective color, arranged in a longitudinal direction of the article being transferred, each nozzle having a separate coloring agent supply source connected therewith for supplying the coloring agent to the corresponding nozzle and a valve provided between the nozzle and the coloring agent supply source, for spouting the coloring agents of respective colors different from each other of respective specific amount, as a drop, to form spots on the ~~[[outer]]~~ outer surface of the article, toward the outer surface of the article; and

control means to make a plurality of the nozzles spout the coloring agent, as a drop, toward the outer surface of the article according to the pattern in response to the transfer speed of the article detected by the detecting means; and

a pressurized gas supply source connected to the plurality of the coloring agent supply sources for supplying pressurized gas to the plurality of the coloring agent supply sources,

U.S. Patent Application Serial No.: 10/523,975  
Response to Final Office Action mailed November 3, 2009

wherein when the valve is opened, the coloring agents existing in the nozzles are spouted, as a drop, toward the outer surface of the article with the aid of bias of the pressurized gas supplied from the pressurized gas supply source.

Claim 4 (Previously Presented): The device for automatically marking an article according to claim 3, wherein a plurality of the nozzles are arranged along the transfer direction of the article and the control means makes the nozzles spout the coloring agent according to a distance between the nozzles.

Claim 5 (Currently Amended): The device for automatically marking an article according to claim 3, wherein a plurality of the nozzles are also arranged along a circumferential direction around the article.

Claim 6 (Previously Presented): The device for automatically marking an article according to claim 5, wherein the nozzles spouts the coloring agent as a drop through an opening, which faces the outer surface of the article, a straight line obtained by connecting a center of the opening and a center of the article runs along a spouting direction of the coloring agent, and the spouting direction crosses both perpendicular and horizontal directions at an angle of 45°.

U.S. Patent Application Serial No.: 10/523,975  
Response to Final Office Action mailed November 3, 2009

Claim 7 (Previously Presented): The device for automatically marking an article as claimed in any one of claims 3 – 6, further comprising a device body for receiving the storing means and the control means, wherein the device body comprises a plurality of connectors for connecting the device body to the nozzles and the connectors are provided in the same number as that of the nozzles according to the respective nozzles.

Claim 8 (Previously Presented): The device for automatically marking an article as claimed in any one of claims 3-6, wherein the article is an electric wire.

Claim 9 (Original): The device for automatically marking an article according to claim 8, wherein the electric wire is put in an electric wire cutting machine which cuts the electric wire after transferring the electric wire in said one direction.